

IN THE CLAIMS:

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~strikethrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please AMEND claims 35 and 46-47 in accordance with the following:

1-34. (Cancelled)

35. (Currently Amended) An optical amplifier comprising:
a plurality of optical amplification mediums ~~for~~ producing a gain, the gain having gain-characteristics of a wavelength band;
an excitation source stimulating the amplification mediums;
a gain controller constantly maintaining the gain, including at least one gain peak, for each optical amplification medium by use of the excitation source; and
~~a gain-equalizer~~plurality of gain-equalizers, respectively positioned after each optical amplification medium, ~~and equalizing the gain-characteristics of a predetermined wavelength band of the optical amplification medium~~the wavelength band, each of the gain-equalizers ~~equalizing each output light of the preceding optical amplifier medium and passing light with the predetermined wavelength band, the light of the predetermined wavelength band having flat optical power characteristics~~having a transmittance band and an elimination wavelength band, the transmittance band providing a flat gain characteristic in the gain-characteristic of the wavelength band by a characteristic of the gain-equalizer, and the elimination bands being eliminated from the amplification mediums gain, including the gain peak.

36. (Previously Presented) An optical amplifier according to claim 35, wherein the gain equalizers have nearly the same equalizing characteristics.

37. (Previously Presented) An optical amplifier according to claim 35, wherein the optical amplifier has nearly even gain characteristics.

38. (Previously Presented) An optical amplifier according to claim 35, wherein the

optical amplification mediums are made of erbium doped fibers.

39. (Previously Presented) An optical amplifier according to claim 35, wherein the constant gain of the optical amplification mediums is associated with an inversion ratio of about 0.8 to about 1.0 within the amplification medium.

40. (Cancelled)

41. (Previously Presented) An optical amplifier according to claim 35, wherein the gain equalizer obtains equalized gain within a wavelength-band from about 1490 nm to about 1530 nm.

42. (Previously Presented) An optical amplifier according to claim 35, wherein each gain equalizer attenuates gain at a peak wavelength.

43. (Cancelled)

44. (Previously Presented) An optical amplifier according to claim 35, wherein each gain equalizer produces an output, and the output has a nearly even gain characteristic.

45. (Cancelled)

46. (Currently Amended) An optical amplifier, comprising:
a plurality of optical amplification mediums for producing a gain, the gain having gain-characteristics of a wavelength band;
a gain controller maintaining a constant population inversion ratio for each of the optical amplification mediums, each optical amplification medium having a wavelength characteristic that includes a gain peak; and
~~a gain-equalizer~~ plurality of gain-equalizers, respectively positioned after each optical amplification medium, and equalizing the gain-characteristics of the wavelength band of the optical amplification medium, each gain-equalizer equalizing each output light of the preceding optical amplifier medium and passing light with a predetermined wavelength band, the light of the predetermined wavelength band having flat optical power characteristics for passing through a predetermined wavelength band in the gain-characteristic of the wavelength band,

and eliminating an eliminating band including the gain peak.

47. (Currently Amended) An optical amplifier, comprising:
- a plurality of optical amplification mediums, each producing a gain with a gain-characteristic of a wavelength band;
 - a gain controller controlling the gain-characteristic of the wavelength band of each of the optical amplification mediums with substantially equal gain-characteristics of the wavelength band, the equal gain-characteristics having at least one gain peak in the wavelength band; and
 - a plurality of optical gain-equalizers respectively positioned after each optical amplification medium equalizing each output light of the preceding optical amplification medium, ~~and~~ outputting an output light having substantially flat power characteristics, and eliminating an eliminating band of the gain-characteristic of the wavelength band, the eliminating band including the gain peak.

48. (Previously Presented) An optical amplifier according to claim 47, wherein each of the gain-equalizers pass light having flat power characteristics within the predetermined wavelength band and minimize gain outside of the predetermined wavelength band.

49. (Cancelled)